

COPPES NAPANEE

ESTD + CABINET CO + 1876

Door Styles




SCAN HERE

For Documentation and More




Bergman

Bergman



The Bergman Door is a 5-piece door constructed with hardwood stiles and rails and a hardwood (stain applications) or MDF panel (paint applications).




Bergman Details

- Cope and Stick construction.
- Panel is 1/2" hardwood (stained) or 1/2" MDF (painted).
- All outside edges have a 3/32" round over.
- Available in all standard wood species.
- Available with glass panel.
- Doors 48-1/16" - 95-15/16" are double panel.
- Doors 96" and larger are triple panel.
- All mid rails on multi panel doors will be 1-1/2" in width.
- Drawer will switch from Drawer-S to Drawer-L at 7" high.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

*Pictured in Maple Gray Wolf on front.
For more details, check our official Spec. Book*




455 E. Lincoln Street
Napanee, IN 46550
coppesnapanee.com




Boyd

Boyd



The Boyd Door is a 5-piece door constructed with hardwood stiles and rails and a hardwood (stain applications) or MDF panel (paint applications).



Boyd Details

- Cope and Stick with dowel construction.
- Panel is 1/2" hardwood (stained) or 1/2" MDF (painted).
- All outside edges have a 3/32" round over.
- Available in all standard wood species.
- Available with glass panel.
- Doors 48-1/16" - 95-15/16" are double panel.
- Doors 96" and larger are triple panel.
- All mid rails on multi panel doors will be 2-3/8" in width.
- Drawer will switch from Drawer-S to Drawer-L at 7" high.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

*Pictured in Walnut Landmark on front.
For more details, check our official Spec. Book*




455 E. Lincoln Street
Napanee, IN 46550
coppesnapanee.com



Brenner

Brenner



The Brenner Door is a decorative slab door constructed with a hardwood applied molding and a plywood (stain applications) or MDF panel (paint applications).



Brenner Details

- Plywood slab with mitered hardwood applied molding construction.
- Panel is 5/8" Plywood (stained) or 5/8" MDF (painted).
- Available in all standard wood species.
- If glass panel is selected, door style will change to Dupont.
- On fronts that apply, painted orders will default to a HDF slab. On fronts that apply, stained orders will default to a hardwood slab Door/Drawer.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

*Pictured in Cherry Shadow on front.
For more details, check our official Spec. Book*




455 E. Lincoln Street
Napanea, IN 46550
coppesnapanee.com




Cannon

Cannon



The Cannon Door is a 5-piece door constructed with hardwood stiles and rails and a hardwood closed louvered panel.



Cannon Details

- Cope and Stick construction.
- All outside edges have a 3/32" round over.
- Available in all standard wood species, except Quarter Sawn, Rift, or Rustic.
- Available in glass prep.
- Doors 48-1/16" - 95-15/16" are double panel.
- Doors 96" are triple panel.
- All mid rails on multi panel doors will be 2-1/4" in width.
- On fronts that apply, orders will default to a hardwood slab Door/Drawer.
- Drawer will switch from Drawer-S to Drawer-L at 7" high.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

*Pictured in Natural Maple on front.
For more details, check our official Spec. Book*




455 E. Lincoln Street
Napanea, IN 46550
coppesnapanee.com




Chapman

Chapman



The Chapman Door is a 3-piece door constructed with hardwood stiles and a plywood (stain applications) or MDF (painted applications) panel.



Chapman Details

- Tongue and Groove construction.
- Hardwood stiles are vertical grain, plywood panel is horizontal grain.
- All outside edges have a 3/32" round over.
- Available in all standard wood species, except Alder, Hickory, Quarter Sawn, Red Oak, and Rustic.
- If glass panel is selected, door style will change to Dupont.
- On fronts that apply, painted orders will default to a HDF slab.
- On fronts that apply, stained orders will default to a hardwood slab Door/Drawer.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

*Pictured in Cherry Tawny on front.
For more details, check our official Spec. Book*




455 E. Lincoln Street
Napanea, IN 46550
coppesnapanee.com




Coppes

Coppes



The Coppes Door is a hardwood slab door utilizing a glue-up process for stained applications.



Coppes Details

- Hardwood glue-up construction.
- All outside edges have a 3/32" round over.
- Available in all standard wood species except Paint Grade.
- If glass panel is selected, door style will change to Dupont.
- Steel support braces integrated to the back of doors to prevent cupping.
- 1/4" hardwood battens to cover steel support braces.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

*Pictured in Hickory Zion on front.
For more details, check our official Spec. Book*




455 E. Lincoln Street
Napanea, IN 46550
coppesnapanee.com




Delton

Delton



The Delton Door is a decorative slab door constructed with a hardwood applied molding and a plywood (stain applications) or MDF panel (paint applications).



Delton Details

- Plywood slab with mitered hardwood applied molding construction.
- Panel is 3/4" Plywood (stained) or 3/4" MDF (painted).
- Door contains vertical grain.
- Drawer front contains horizontal grain.
- All outside edges have a 3/32" round over.
- Available in all standard wood species.
- If glass panel is selected, door style will change to Dupont.
- Not available in multi panel configurations.
- Not available with hardwood center panel.
- Framed full overlay requires 1/2" reveals on hinge side.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

*Pictured in Walnut Wrangler on front.
For more details, check our official Spec. Book*




455 E. Lincoln Street
Nappanee, IN 46550
coppesnapanee.com




Dupont

Dupont



The Dupont Door is a 5-piece door constructed with hardwood stiles and rails and a hardwood (stain applications) or MDF panel (paint applications).



Dupont Details

- Cope and Stick with dowel construction.
- Panel is 3/8" hardwood (stained) or 3/8" MDF (painted).
- All outside edges have a 3/32" round over.
- Available in all standard wood species.
- Available with glass panel.
- Doors 48-1/16" to 95-15/16" are double panel.
- Doors 96" and larger are triple panel.
- All mid rails on multi panel doors will be 2-3/8" in width.
- Drawer will switch from Drawer-S to Drawer-L at 7" high.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

*Pictured in Snow Caps on front.
For more details, check our official Spec. Book*




455 E. Lincoln Street
Napanea, IN 46550

coppesnapanee.com




Dutch

Dutch



The Dutch Door is a 5-piece door constructed with hardwood stiles and rails and a hardwood (stain applications) or MDF panel (paint applications).



Dutch Details

- Cope and Stick with dowel construction.
- Panel is 3/8" hardwood (stained) or 3/8" MDF (painted).
- All outside edges have a 3/32" round over.
- Available in all standard wood species.
- Available with glass panel.
- Doors 48-1/16" to 95-15/16" are double panel.
- Doors 96" and larger are triple panel.
- All mid rails on multi panel doors will be 2-5/8" in width.
- Drawer will switch from Drawer-S to Drawer-L at 7" high.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

*Pictured in Alder Natural on front.
For more details, check our official Spec. Book*




455 E. Lincoln Street
Napanea, IN 46550
coppesnapanee.com




Fenton

Fenton



The Fenton Door is a 5-piece door constructed with hardwood stiles and rails and a raised center panel (stain and paint applications).



Fenton Details

- Cope and Stick with dowel construction.
- Panel is 1/2" hardwood (stained) or 1/2" MDF (painted).
- All outside edges have a 3/32" round over.
- Available in all standard wood species.
- Available with glass panel.
- Doors 48-1/16" to 95-15/16" are double panel.
- Doors 96" and larger are triple panel.
- All mid rails on multi panel doors will be 3-3/8" in width.
- Drawer will switch from Drawer-S to Drawer-L at 9" high.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

*Pictured in Eucalyptus on front.
For more details, check our official Spec. Book*




455 E. Lincoln Street
Nappanee, IN 46550
coppesnapanee.com




Ford

Ford




The Ford Door is a slab door constructed with a plywood panel and hardwood edges.



Hardwood

Plywood



Ford Details

- Plywood slab with lock mitered hardwood edge construction.
- All outside edges have a 3/32" round over.
- Door contains vertical grain.
- Drawer front contains horizontal grain.
- Available in all standard wood species.
- If glass panel is selected, door style will change to Dupont.
- Vertical grain matching available by request.
- Horizontal grain standard on Drawer Fronts.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

Pictured in Quarter Sawn White Oak Natural on front.

For more details, check our official Spec. Book




455 E. Lincoln Street
Napanea, IN 46550
coppesnapanee.com




Hamilton

Hamilton



The Hamilton Door is a 5-piece door constructed with hardwood stiles and rails and a hardwood (stain applications) or MDF panel (paint applications).



Hamilton Details

- Cope and Stick with dowel construction.
- Panel is 3/8" hardwood (stained) or 3/8" MDF (painted).
- All outside edges have a 3/32" round over.
- Available in all standard wood species.
- Available with glass panel.
- Doors 48-1/16" to 95-15/16" are double panel.
- Doors 96" and larger are triple panel.
- All mid rails on multi panel doors will be 3-1/16" in width.
- Drawer will switch from Drawer-S to Drawer-L at 7" high.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

*Pictured in Cherry Thoroughbred on front.
For more details, check our official Spec. Book*




455 E. Lincoln Street
Napanea, IN 46550
coppesnapanee.com




Hogan

Hogan



The Hogan Door is a 5-piece door with hardwood rails & stiles and a plywood (stain applications) or MDF panel (paint applications).



Hogan Details

- Cope and Stick construction.
- Panel is 1/2" Plywood (stained) or 1/2" MDF (painted).
- Available with Hardwood Panel as Group 3
- Door contains vertical grain.
- Drawer front contains horizontal grain.
- All outside edges have a 3/32" round over.
- Available in all standard wood species.
- If glass panel is selected, door style will change to Dupont.
- Not available in multi panel configurations.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

*Pictured in Artic Hare on front.
For more details, check our official Spec. Book*




455 E. Lincoln Street
Napanea, IN 46550
coppesnapanee.com




Holland

Holland



The Holland Door is a 5-piece door with hardwood rails & stiles and a plywood (stain applications) or MDF panel (paint applications).



Holland Details

- Cope and Stick with dowel construction.
- Panel is 3/8" hardwood (stained) or 3/8" MDF (painted).
- All outside edges have a 3/32" round over.
- Available in all standard wood species.
- Available with glass panel.
- Doors 48-1/16" to 95-15/16" are double panel.
- Doors 96" and larger are triple panel.
- All mid rails on multi panel doors will be 3-5/16" in width.
- Drawer will switch from Drawer-S to Drawer-L at 8" high.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

*Pictured in Stone on front.
For more details, check our official Spec. Book*




455 E. Lincoln Street
Napanee, IN 46550
coppesnapanee.com




Hoosier

Hoosier



The Hoosier Door is a 5-piece door constructed with hardwood stiles and rails and a hardwood (stain applications) or MDF panel (paint applications).




Hoosier Details

- Cope and Stick with dowel construction.
- Panel is 3/8" hardwood (stained) or 3/8" MDF (painted).
- All outside edges have a 3/32" round over.
- Available in all standard wood species.
- Available with glass panel.
- Doors 48-1/16" to 95-15/16" are double panel.
- Doors 96" and larger are triple panel.
- All mid rails on multi panel doors will be 3-11/16" in width.
- Drawer will switch from Drawer-S to Drawer-L at 8" high.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

*Pictured in Night Sky on front.
For more details, check our official Spec. Book*




455 E. Lincoln Street
Nappanee, IN 46550
coppesnapanee.com




Kaysen

Kaysen



The Kaysen Door is a decorative reeded door constructed with a hardwood applied molding and a plywood (stain applications) or MDF panel (paint applications).



Kaysen Details

- Plywood slab with mitered hardwood applied molding construction.
- Panel is 3/4" Plywood (stained) or 3/4" MDF (painted).
- Available in all standard wood species except Rustic.
- If glass panel is selected, door style will change to Dupont.
- Not available in multi panel configurations.
- Framed full overlay requires 1/2" reveals on hinge side.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

*Pictured in Alder Chocolate on front.
For more details, check our official Spec. Book*




455 E. Lincoln Street
Napanea, IN 46550
coppesnapanee.com




Kennedy

Kennedy



The Kennedy Door is a 5-piece door constructed with hardwood stiles and rails and a hardwood panel (stain and paint applications).



Kennedy Details

- Cope and Stick with dowel construction.
- Panel is 1/2" hardwood (stained) or 1/2" MDF (painted).
- All outside edges have a 3/32" round over.
- Available in all standard wood species.
- Available with glass panel.
- Doors 48-1/16" - 95-15/16" are double panel.
- Doors 96" and larger are triple panel.
- All mid rails on multi panel doors will be 2-1/16" in width.
- Drawer will switch from Drawer-S to Drawer-L at 8" high.
- On fronts that apply, painted orders will default to a HDF slab.
- On fronts that apply, stained orders will default to a hardwood slab Door/Drawer.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

*Pictured in Snowfall on front.
For more details, check our official Spec. Book*




455 E. Lincoln Street
Nappanee, IN 46550
coppesnapanee.com




Knox

Knox



The Knox Door is a 5-piece door constructed with hardwood stiles and rails and a hardwood (stain applications) or MDF panel (paint applications).



Knox Details

- Cope and Stick with dowel construction.
- Panel is 3/8" hardwood (stained) or 3/8" MDF (painted).
- All outside edges have a 3/32" round over.
- Available in all standard wood species.
- Available with glass panel.
- Doors 48-1/16" - 95-15/16" are double panel.
- Doors 96" and larger are triple panel.
- All mid rails on multi panel doors will be 2-7/8" in width.
- Drawer will switch from Drawer-S to Drawer-L at 7" high.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

*Pictured in Limestone on front.
For more details, check our official Spec. Book*




455 E. Lincoln Street
Napanea, IN 46550
coppesnapanee.com




Lockwood

Lockwood



The Lockwood Door is a 5-piece door constructed with hardwood stiles and rails and a hardwood panel.



Lockwood Details

- Mitered construction.
- Available in plywood center panel as a Group 3.
- Available in 1/2" hardwood center panel as a Group 5.
- All outside edges have a 3/32" round over.
- Available in all standard wood species except Rustic.
- If glass panel is selected, door style will change to Dupont.
- Not available in multi panel configurations.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

Designer Tip: For Painted Applications, choose the Hogan door, which contains a MDF center panel.

Pictured in Plain Sliced White Oak Fawn on front.

For more details, check our official Spec. Book




455 E. Lincoln Street
Napanea, IN 46550
coppesnapanee.com




McClary

McClary



The McClary Door is a 5-piece door constructed with hardwood stiles and rails and a hardwood (stain applications) or MDF panel (paint applications).



McClary Details

- Cope and Stick with dowel construction.
- Panel is 3/8" hardwood (stained) or 3/8" MDF (painted).
- All outside edges have a 3/32" round over.
- Available in all standard wood species.
- Available with glass panel.
- Doors 48-1/16" to 95-15/16" are double panel.
- Doors 96" and larger are triple panel.
- All mid rails on multi panel doors will be 3" in width.
- Drawer will switch from Drawer-S to Drawer-L at 8" high.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

*Pictured in Pearl on front.
For more details, check our official Spec. Book*




455 E. Lincoln Street
Napanee, IN 46550
coppesnapanee.com




Mellinger

Mellinger



The Mellinger Door is a 5-piece door constructed with hardwood stiles and rails and a hardwood (stain applications) or MDF panel (paint applications).



Mellinger Details

- Cope and Stick with dowel construction.
- Panel is 3/8" hardwood (stained) or 3/8" MDF (painted).
- All outside edges have a 3/32" round over.
- Available in all standard wood species.
- Available with glass panel.
- Doors 48-1/16" to 95-15/16" are double panel.
- Doors 96" and larger are triple panel.
- All mid rails on multi panel doors will be 2-3/8 in width.
- Drawer will switch from Drawer-S to Drawer-L at 7" high.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

*Pictured in Stapleton Gray on front.
For more details, check our official Spec. Book*




455 E. Lincoln Street
Nappanee, IN 46550
coppesnapanee.com




Mutschler

Mutschler



The Mutschler Door is a 5-piece door constructed with hardwood stiles and rails, a hardwood applied inside molding, and a hardwood (stain applications) or MDF panel (paint applications).



Mutschler Details

- Cope and Stick with dowel construction.
- Panel is 3/8" hardwood (stained) or 3/8" MDF (painted).
- All outside edges have a 3/32" round over.
- Available in all standard wood species.
- Available with glass panel.
- Doors 48-1/16" to 95-15/16" are double panel.
- Doors 96" and larger are triple panel.
- All mid rails on multi panel doors will be 3" in width.
- Drawer will switch from Drawer-S to Drawer-L at 8" high.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

*Pictured in Bright Moon on front.
For more details, check our official Spec. Book*




455 E. Lincoln Street
Napanea, IN 46550
coppesnapanee.com




Myers

Myers



The Myers Door is a slab door constructed with a plywood panel and edge-banded edges.

3/4"



Myers Details

- Plywood slab with 3mm edge-banding.
- All outside edges have an eased edge.
- Door contains vertical grain.
- Drawer front contains horizontal grain.
- Available in all standard wood species.
- If glass panel is selected, door style will change to Dupont.
- Vertical grain matching available by request.
- Horizontal grain standard on Drawer Fronts.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

*Pictured in Mahogany Natural on front.
For more details, check our official Spec. Book*




455 E. Lincoln Street
Napanea, IN 46550
coppesnapanee.com




Osborn

Osborn



The Osborn Door is a 5-piece door constructed with hardwood stiles and rails and a hardwood (stain applications) or MDF panel (paint applications).



Osborn Details

- Cope and Stick with dowel construction.
- Panel is 3/8" hardwood (stained) or 3/8" MDF (painted).
- All outside edges have a 3/32" round over.
- Available in all standard wood species.
- Available with glass panel.
- Doors 48-1/16" to 95-15/16" are double panel.
- Doors 96" and larger are triple panel.
- All mid rails on multi panel doors will be 2-1/2" in width.
- Drawer will switch from Drawer-S to Drawer-L at 7" high.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

*Pictured in Cherry Graphite on front.
For more details, check our official Spec. Book*




455 E. Lincoln Street
Napanea, IN 46550
coppesnapanee.com




Presley

Presley



The Presley Door is a 5-piece door constructed with hardwood stiles and rails and a hardwood panel (stain and paint applications).



Presley Details

- Cope and Stick with dowel construction.
- Panel is 1/2" hardwood (stained) or 1/2" MDF (painted).
- All outside edges have a 3/32" round over.
- Available in all standard wood species.
- Available with glass panel.
- Doors 48-1/16" to 95-15/16" are double panel.
- Doors 96" and larger are triple panel.
- All mid rails on multi panel doors will be 2-3/4" in width.
- Drawer will switch from Drawer-S to Drawer-L at 8" high.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.
-

*Pictured in Cherry Shadow on front.
For more details, check our official Spec. Book*




455 E. Lincoln Street
Nappanee, IN 46550
coppesnapanee.com




Reynolds

Reynolds



The Reynolds is a 5-piece door constructed with hardwood stiles and a plywood (stain applications) or MDF (painted applications) panel.



Reynolds Details

- Cope and Stick with dowel construction.
- Panel is 1/2" hardwood (stained) or 1/2" MDF (painted).
- All outside edges have a 3/32" round over.
- Available in all standard wood species.
- Available with glass panel.
- Doors 48-1/16" - 95-15/16" are double panel.
- Doors 96" and larger are triple panel.
- All mid rails on multi panel doors will be 4-1/16" in width.
- Drawer will switch from Drawer-S to Drawer-L at 8" high.
- On fronts that apply, painted orders will default to a HDF slab.
- On fronts that apply, stained orders will default to a hardwood slab Door/Drawer.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

Pictured in Rift White Oak with a Custom Stain on front.

For more details, check our official Spec. Book




455 E. Lincoln Street
Napanea, IN 46550
coppesnapanee.com




Ruthmere

Ruthmere



The Ruthmere Door is a fluted slab door constructed using solid HDF.



Ruthmere Details

- Available in paint only.
- If glass panel is selected, door style will change to Dupont.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

*Pictured in White Rose on front.
For more details, check our official Spec. Book*




455 E. Lincoln Street
Napanea, IN 46550
coppesnapanee.com




Sanders

Sanders



The Sanders Door is a 5-piece door constructed with hardwood stiles and rails and a hardwood (stain applications) or MDF panel (paint applications).




Sanders Details

- Cope and Stick with dowel construction.
- Panel is 3/8" hardwood (stained) or 3/8" MDF (painted).
- All outside edges have a 3/32" round over.
- Available in all standard wood species.
- Available with glass panel.
- Doors 48-1/16" to 95-15/16" are double panel.
- Doors 96" and larger are triple panel.
- All mid rails on multi panel doors will be 2-1/2" in width.
- Drawer will switch from Drawer-S to Drawer-L at 7" high.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

*Pictured in Cherry Tawny on front.
For more details, check our official Spec. Book*




455 E. Lincoln Street
Napanee, IN 46550
coppesnapanee.com



Shannon

Shannon



The Shannon Door is a solid HDF slab door.



Shannon Details

- Solid HDF slab.
- Available in paint only.
- All outside edges have a 3/32" round over.
- If glass panel is selected, door style will change to Dupont.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

*Pictured in Highway on front.
For more details, check our official Spec. Book*




455 E. Lincoln Street
Nappanee, IN 46550
coppesnapanee.com




Sinatra

Sinatra



The Sinatra Door is a 5-piece door with hardwood rails & stiles and a plywood (stain applications) or MDF panel (paint applications).



Sinatra Details

- Cope and Stick construction.
- Panel is 5/8" plywood (stained) or 5/8" MDF (painted).
- Available with Hardwood Panel as Group 3.
- Door contains vertical grain.
- Drawer front contains horizontal grain.
- All outside edges have a 3/32" round over.
- Available in all standard wood species except Rustic.
- If glass panel is selected, door style will change to Dupont.
- Not available in multi panel configurations.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

*Pictured in Rift White Oak Summit on front.
For more details, check our official Spec. Book*




455 E. Lincoln Street
Napanea, IN 46550
coppesnapanee.com




Studebaker

Studebaker



The Studebaker Door is a 5-piece door constructed with hardwood stiles and rails and a hardwood (stain applications) or MDF panel (paint applications).



Studebaker Details

- Cope and Stick with dowel construction.
- Panel is 3/8" hardwood (stained) or 3/8" MDF (painted).
- All outside edges have a 3/32" round over.
- Available in all standard wood species.
- Available with glass panel.
- Doors 48-1/16" to 95-15/16" are double panel.
- Doors 96" and larger are triple panel.
- All mid rails on multi panel doors will be 3-7/8" in width.
- Drawer will switch from Drawer-S to Drawer-L at 8" high.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

*Pictured in Cherry Basin on front.
For more details, check our official Spec. Book*




455 E. Lincoln Street
Napanea, IN 46550
coppesnapanee.com




Vella

Vella



The Vella Door is a 5-piece door constructed with hardwood stiles and rails (stain and paint applications).




Vella Details

- Cope and Stick with dowel construction.
- Panel is 1/2" hardwood (stained) or 1/2" MDF (painted).
- All outside edges have a 3/32" round over.
- Available in all standard wood species.
- Available with glass panel.
- Doors 48-1/16" to 95-15/16" are double panel.
- Doors 96" and larger are triple panel.
- All mid rails on multi panel doors will be 3-3/8" in width.
- Drawer will switch from Drawer-S to Drawer-L at 9" high.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

*Pictured in Deep Ocean on front.
For more details, check our official Spec. Book*




455 E. Lincoln Street
Napanea, IN 46550
coppesnapanee.com




Volkman

Volkman



The Volkman Door is a decorative reeded door constructed with a hardwood applied molding and a plywood (stain applications) or MDF panel (paint applications).



Volkman Details

- Plywood slab with mitered hardwood applied molding construction.
- Panel is 5/8" Plywood (stained) or 5/8" MDF (painted).
- Available in all standard wood species.
- If glass panel is selected, door style will change to Dupont.
- On fronts that apply, painted orders will default to a HDF slab.
- On fronts that apply, stained orders will default to a hardwood slab Door/Drawer.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

Pictured in Rift White Oak with a Custom Stain on front.

For more details, check our official Spec. Book




455 E. Lincoln Street
Napanea, IN 46550
coppesnapanee.com




Warner

Warner



The Warner Door is a 5-piece door constructed with hardwood stiles and rails and a hardwood (stain applications) or MDF panel (paint applications).



Warner Details

- Cope and Stick with dowel construction.
- Panel is 3/8" hardwood (stained) or 3/8" MDF (painted).
- All outside edges have a 3/32" round over.
- Available in all standard wood species.
- Available with glass panel.
- Doors 48-1/16" to 95-15/16" are double panel.
- Doors 96" and larger are triple panel.
- All mid rails on multi panel doors will be 3-1/2" in width.
- Drawer will switch from Drawer-S to Drawer-L at 8" high.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

*Pictured in Red Oak Light Fog on front.
For more details, check our official Spec. Book*




455 E. Lincoln Street
Napanea, IN 46550
coppesnapanee.com




Williams

Williams



The Williams Door is a 5-piece door constructed with hardwood stiles and rails, a hardwood (stain applications) or MDF (painted applications) panel, and a hardwood applied molding.



Williams Details

- Cope and Stick with dowel construction.
- Panel is 1/2" hardwood (stained) or 1/2" MDF (painted).
- All outside edges have a 3/32" round over.
- Available in all standard wood species.
- Available with glass panel.
- Doors 48-1/16" to 95-15/16" are double panel.
- Doors 96" and larger are triple panel.
- All mid rails on multi panel doors will be 4-3/16" in width.
- Drawer will switch from Drawer-S to Drawer-L at 8" high.
- Drawer-S will have flat panel; Drawer-L will have raised panel.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

Pictured in Hale Navy on front.

For more details, check our official Spec. Book




455 E. Lincoln Street
Napanea, IN 46550
coppesnapanee.com




Wilson

Wilson



The Wilson Door is a 5-piece door constructed with hardwood stiles and rails, a hardwood (stain applications) or MDF (painted applications) panel, and a hardwood applied molding.



Wilson Details

- Cope and Stick with dowel construction.
- Panel is 3/8" hardwood (stained) or 3/8" MDF (painted).
- All outside edges have a 3/32" round over.
- Available in all standard wood species.
- Available with glass panel.
- Doors 48-1/16" to 95-15/16" are double panel.
- Doors 96" and larger are triple panel.
- All mid rails on multi panel doors will be 2-7/8" in width.
- Drawer will switch from Drawer-S to Drawer-L at 7" high.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

*Pictured in Wisp on front.
For more details, check our official Spec. Book*




455 E. Lincoln Street
Napanea, IN 46550
coppesnapanee.com




Zook

Zook



The Zook Door is a 5-piece door constructed with hardwood stiles and rails and a hardwood (stain applications) or MDF panel (paint applications).



Zook Details

- Cope and Stick with dowel construction.
- Panel is 3/8" hardwood (stained) or 3/8" MDF (painted).
- All outside edges have a 3/32" round over.
- Available in all standard wood species.
- Available with glass panel.
- Doors 48-1/16" to 95-15/16" are double panel.
- Doors 96" and larger are triple panel.
- All mid rails on multi panel doors will be 3-1/8" in width.
- Drawer will switch from Drawer-S to Drawer-L at 8" high.
- Door/Drawer fronts outside of construction parameters are outside warranty guidelines and need documented acknowledgement.

*Pictured in Maple Gray Rock on front.
For more details, check our official Spec. Book*



455 E. Lincoln Street
Napanee, IN 46550
coppesnapanee.com